
# **Installation and Operation Manual**



**Outdoor Panel** 

## **Picture**

Model: 302D-C5




### **Basic Function**

- 1. Color CCD camera.
- 2. Infrared night vision function.
- 3. Call indoor monitor.
- 4. Power supplied by indoor monitor

# **Technology Parameter**


- 1. Working voltage: DC12V
- 2. Rated power: 1.8W
- 3. Standby power consumption: 0.1W
- 4. Operating temperature: -35 °C ~+70 °C
- 5. Relative humidity: 20~93%
- 6. IP Rating: IP55
- 7. Talking time: 60s

# **Package Contents**



# **Operation**

### Calling indoor monitor



Press the call button directly to call the indoor monitor. The series tones from indoor monitor will be heard.


# **System Diagram**

Your system can connect max.2 pcs outdoor panels and 6 pcs indoor monitors.

1. For one outdoor panel connect with one indoor monitor.


### Option 1(Capacitor Unlock):

If you connect a lock which use the same power supply with indoor monitor and the outdoor panel, please find the system diagram as below:




#### • Option 2 (Relay Unlock):

If your lock needs a separate power supply, please find the system diagram as below:




#### 2. For two outdoor panels connect with one indoor monitor.

You need to install one isolator module in the system as below:



### Installation

#### Installation: Surface wall mount



Product Dimension:160\*99.5\*47mm


Built-in Box Dimension: 151\*94\*45mm

#### Remark:

Considering that the speaker is on the left of the outdoor panel, don't plug up it to ensure normal operation.

(B)

#### Remark:



Suggestion: the length of camera from the ground should be  $1450\sim1550$ mm. The view-angle of camera should be considered in installation firstly, and suitable for taking the face fully.

### **Care and Maintenance**

- 1. Do not put the unit near the magnetic area such as television, video recorder etc.
- 2. Do not drop, knock or shake the unit.
- 3. Do not put the unit in hot areas. High temperature can shorten the life of electronic device.
- 4. Do not clean the cabinet with liquid cleaners, aerosol cleaners, gasoline or other types of flammable fluids.
- 5. Do not attempt to service this equipment yourself, as opening or removing covers may expose you to dangerous voltage or other hazards.